


Lamps

Fluorescent Compact


DULUX® EL



Triple electronic, self-ballasted. Soft white.


Mfr Part No	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Mole In	CRI	Price
CF15EL/830/MED/1	15	T4	Med.	120	10000	6	5.70	82
CF20EL/830/MED/1	20	T4	Med.	120	10000	6	6.42	82
CF23EL/830/MED/1	23	T4	Med.	120	10000	6	6.93	82

DULUX® L - High Lumen



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	NEMA Designation	Price
FT36DL/835	36	T4	2G11	12000	10	16.6	82	FT36W/2G11/835
FT36DL/841	36	T4	2G11	12000	10	16.6	82	FT36W/2G11/841
FT40DL/830/RS	40	T4	2G11	20000	10	22.6	82	FT40W/2G11/RS/830
FT40DL/835/RS	40	T4	2G11	20000	10	22.6	82	FT40W/2G11/RS/835
FT40DL/841/RS	40	T4	2G11	20000	10	22.6	82	FT40W/2G11/RS/840
FT55DL/835	55	T4	2G11	12000	10	21.1	82	FT55W/2G11/835

DULUX® S Preheat - ECOLOGIC®



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	NEMA Designation	Price
CF13DS/827	13	T4 2-Pin	GX23	10000	50	7.1	82	CFT13W/GX23/827
CF13DS/830	13	T4 2-Pin	GX23	10000	50	7.1	82	CFT13W/GX23/830
CF13DS/835	13	T4 2-Pin	GX23	10000	50	7.1	82	CFT13W/GX23/835
CF13DS/841	13	T4 2-Pin	G23	10000	50	7.1	82	CFT13W/GX23/841
CF5DS/827	5	T4 2-Pin	G23	10000	50	4.2	82	CFT5W/G23/827
CF7DS/827	7	T4 2-Pin	G23	10000	50	5.3	82	CFT5W/G23/827
CF9DS/827	9	T4 2-Pin	G23	10000	50	6.5	82	CFT9W/G23/827
CF9DS/835	9	T4 2-Pin	G23	10000	50	6.5	82	CFT9W/G23/835
CF9DS/841	9	T4 2-Pin	G23	10000	50	6.5	82	CFT9W/G23/841


DULUX® Twist



Mfr Part No	Watts	Base	Volts	Ave Life Hrs	Pkg Qty	Mole In	CRI	Price
CF15EL/TWIST	15	Med.	120	10000	6	5.125	82
CF20EL/TWIST	20	Med.	120	10000	6	5.500	82
CF23EL/TWIST	23	Med.	120	10000	6	5.875	82


Instant Start

SUPERSAVER® - Slimline



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
F96T12/CW/SS	60	T12	Single Pin	12000	15	94.00	62	96
F96T12/CW/SS/ECO	60	T12	Single Pin	12000	15	94.00	62	96
F96T12/D35/SS	60	T12	Single Pin	12000	15	94.00	70	96

DULUX® EL - Compact




Reflector electronic, self-ballasted. Soft white. 120V.

Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Price
CF15EL/R30/830/MED	15	R30	Med.	6000	6	5.8	82
CF20EL/R40/830/MED	20	R40	Med.	6000	6	6.4	82

Fluorescent

OCTRON® - CURVALUME®

U-shaped.



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
FBO31/830	31	T8	Med. Bipin	20000	15	22.60	82	22.50
FBO31/835	31	T8	Med. Bipin	20000	15	22.60	82	22.50
FBO31/841	31	T8	Med. Bipin	20000	15	22.60	82	22.50
FBO32/730/ECO	32	T8	Med. Bipin	20000	16	22.60	75	22.50
FBO32/735/ECO	32	T8	Med. Bipin	20000	16	22.60	75	22.50
FBO32/741/ECO	32	T8	Med. Bipin	20000	16	22.60	75	22.50
FBO32/830/6	32	T8	Med. Bipin	20000	16	22.60	85	22.50
FBO32/835/6	32	T8	Med. Bipin	20000	16	22.60	85	22.50
FBO32/841/6	32	T8	Med. Bipin	20000	16	22.60	85	22.50

OCTRON® 700


Designed for rapid start, magnetic rapid start, electronic rapid start or programmed rapid start ballasts.



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
FO17/730/ECO	17	T8	Med. Bipin	20000	30	23.78	75	24
FO17/735	17	T8	Med. Bipin	20000	30	23.78	75	24
FO17/741	17	T8	Med. Bipin	20000	30	23.78	75	24
FO25/730/ECO	25	T8	Med. Bipin	20000	30	35.78	75	36
FO25/735/ECO	25	T8	Med. Bipin	20000	30	35.78	75	36
FO25/741/ECO	25	T8	Med. Bipin	20000	30	35.78	75	36
FO32/730	32	T8	Med. Bipin	20000	30	47.78	75	48
FO32/730/ECO	32	T8	Med. Bipin	20000	30	47.78	75	48
FO32/735	32	T8	Med. Bipin	20000	30	47.78	75	48
FO32/735/ECO	32	T8	Med. Bipin	20000	30	47.78	75	48
FO32/741	32	T8	Med. Bipin	20000	30	47.78	75	48
FO32/741/ECO	32	T8	Med. Bipin	20000	30	47.78	75	48
FO40/735	40	T8	Med. Bipin	20000	30	59.61	75	60
FO96/730	59	T8	Single Bipin	15000	24	94.00	75	96
FO96/735	59	T8	Single Bipin	15000	24	94.00	75	96
FO96/741	59	T8	Single Bipin	15000	24	94.00	75	96


OCTRON® 800

Designed for rapid start, magnetic rapid start, electronic rapid start or programmed rapid start ballasts.



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
FO17/835	17	T8	Med. Bipin	20000	30	23.78	82	24
FO17/841	17	T8	Med. Bipin	20000	30	23.78	82	24
FO25/830/XP/ECO	25	T8	Med. Bipin	24000	30	35.78	85	36
FO25/835	25	T8	Med. Bipin	20000	30	35.78	82	36
FO25/835/XP/ECO	25	T8	Med. Bipin	24000	30	35.78	85	36
FO32/830	32	T8	Med. Bipin	20000	30	47.78	82	48
FO32/835	32	T8	Med. Bipin	20000	30	47.78	82	48
FO32/835/ECO	32	T8	Med. Bipin	20000	30	47.78	82	48
FO32/835/XP/ECO	32	T8	Med. Bipin	24000	30	47.78	85	48
FO32/841	32	T8	Med. Bipin	20000	30	47.78	82	48
FO32/841/ECO	32	T8	Med. Bipin	20000	30	47.78	82	48
FO32/841/XP/ECO	32	T8	Med. Bipin	24000	30	47.78	85	48
FO32/850	32	T8	Med. Bipin	20000	30	47.78	80	48
FO96/841	59	T8	Single Bipin	15000	24	94.00	82	96

PENTRON® - High Output




Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
FP54/835/HO	54	T5	Mini Bipin	20000	40	45.8	82	48

Lamps

Fluorescent
Rapid Start

CURVALUME® - SUPERSAVER®


U-shaped. 6" leg spacing.



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
FB34/CW/6/SS	34	T12	Med. Bipin	18000	12	22.60	62	22.50
FB34/D41/6/SS	34	T12	Med. Bipin	18000	12	22.60	70	22.50
FB34/WW/6/SS	34	T12	Med. Bipin	18000	12	22.60	52	22.50

SUPERSAVER®

High output, 800 mA.



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
F25T12/CW/RS/SS	25	T12	Med. Bipin	18000	30	35.78	62	36
F25T12/WW/RS/SS	25	T12	Med. Bipin	18000	30	35.78	52	36
F34/D30/SS/ECO	34	T12	Med. Bipin	20000	30	47.78	70	48
F34/D35/SS	34	T12	Med. Bipin	20000	30	47.78	70	48
F34/DX/SS	34	T12	Med. Bipin	20000	30	47.78	88	48
F34CW/SS	34	T12	Med. Bipin	20000	30	47.78	62	48
F34CW/SS/ECO	34	T12	Med. Bipin	20000	30	47.78	62	48
F34WW/SS	34	T12	Med. Bipin	20000	30	47.78	52	48
F34WW/SS/ECO	34	T12	Med. Bipin	20000	30	47.78	52	48
F96T12/CW/HO/SS	95	T12	Recessed BC	20000	15	93.91	62	96

Tungsten Halogen


CAPSYLITE®



Mfr Part No	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Beam Type	Price
100PAR/CAP/IR/FL40-120V	100	PAR38	ED26 Med. Socket	120	3000	12	Flood
120PAR/CAP/SPL/FL30-120V	120	PAR38	ED26 Med. Socket	120	3000	15	Flood
120PAR/CAP/SPL/FL30-130V	120	PAR38	ED26 Med. Socket	130	3000	15	Flood
250PAR/CAP/SPL/FL30-120V	250	PAR38	ED26 Med. Socket	120	4500	6	Flood
45PAR/CAP/SPL/FL30-120V	45	PAR38	ED26 Med. Socket	120	2500	15	Flood
45PAR/CAP/SPL/FL30-130V	45	PAR38	ED26 Med. Socket	130	2500	15	Flood
50PAR20/CAP/SPL/NFL30-130V	50	PAR20	ED26 Med.	130	2500	15	Narrow Flood
50PAR20/HAL/SPL/NFL30-120V	50	PAR20	ED26 Med.	120	2500	15	Narrow Flood
50PAR20/HAL/SPL/NSP10-120V	50	PAR20	ED26 Med.	120	2500	15	Narrow Spot
50PAR30/CAP/SPL/FL40-130V	50	PAR30	ED26 Med.	130	2500	15	Flood
50PAR30/CAP/SPL/NFL25-120V	50	PAR30	ED26 Med.	120	2500	15	Narrow Flood
50PAR30/CAP/SPL/NFL25-130V	50	PAR30	ED26 Med.	130	2500	15	Narrow Flood
50PAR30/HAL/SPL/FL40-120V	50	PAR30	ED26 Med.	120	2500	15	Flood
60PAR/CAP/SPL/FL30	60	PAR38	ED26 Med. Socket	130	3000	15	Flood
60PAR/CAP/SPL/FL30-120V	60	PAR38	ED26 Med. Socket	120	3000	15	Flood
60PAR/CAP/SPL/SP9-120V	60	PAR38	ED26 Med. Socket	120	3000	15	Spot
60PAR/CAP/SPL/SP9-130V	60	PAR38	ED26 Med. Socket	130	3000	15	Spot
75PAR/CAP/SPL/FL30-120V	75	PAR38	ED26 Med. Socket	120	2500	15	Flood
75PAR/CAP/SPL/FL30-130V	75	PAR38	ED26 Med. Socket	130	2500	15	Flood
75PAR30/CAP/SPL/FL40-120V	75	PAR30	ED26 Med.	120	2500	15	Flood
75PAR30/CAP/SPL/FL40-130V	75	PAR30	ED26 Med.	130	2500	15	Flood
75PAR30/CAP/SPL/NFL25-120V	75	PAR30	ED26 Med.	120	2500	15	Narrow Flood
75PAR30/CAP/SPL/NSP9-120V	75	PAR30	ED26 Med.	120	2500	15	Narrow Spot
90PAR/CAP/SPL/FL30-120V	90	PAR38	ED26 Med. Socket	120	2500	15	Flood
90PAR/CAP/SPL/FL30-130V	90	PAR38	ED26 Med. Socket	130	2500	15	Flood
90PAR/CAP/SPL/WSP12-120V	90	PAR38	ED26 Med. Socket	120	2500	15	Wide Spot
90PAR/CAP/SPL/WSP12-130V	90	PAR38	ED26 Med. Socket	130	2500	15	Wide Spot

Tungsten Halogen

CAPSYLITE® A-Line



Mfr Part No	Desc	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Price
100A/HAL-120V	Inside Frost	100	MB19	ED26 Med.	120	3000	12
75A/HAL-120V	Inside Frost	75	MB19	ED26 Med.	120	3000	12

CAPSYLITE® Long Neck




Mfr Part No	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Beam Type	Price
50PAR30LN/CAP/SPL/NFL25-120V	50	PAR30LN	ED26 Med.	120	2500	15	Narrow Flood
50PAR30LN/CAP/SPL/NFL25-130V	50	PAR30LN	ED26 Med.	130	2500	15	Narrow Flood
50PAR30LN/CAP/SPL/WFL50-120V	50	PAR30LN	ED26 Med.	120	2500	15	Wide Flood
75PAR30LN/CAP/SPL/NFL25-120V	75	PAR30LN	ED26 Med.	120	2500	15	Narrow Flood
75PAR30LN/CAP/SPL/WFL50-120V	75	PAR30LN	ED26 Med.	120	2500	15	Wide Flood
75PAR30LN/CAP/SPL/WFL50-130V	75	PAR30LN	ED26 Med.	130	2500	15	Wide Flood

SUPER Q® - Single End Quartz



Mfr Part No	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Lamp Finish	Price
100Q/CL/DC(ESR)	100	T4	DC Bayonet	120	1000	12	Clear
100Q/CL/MC(ESN)	100	T4	E11 Mini Can	120	1000	12	Clear
150Q/CL/DC(ETC)	150	T4	DC Bayonet	120	2000	12	Clear
150Q/CL/MC(ESL)	150	T4	E11 Mini Can	120	1000	12	Clear
150Q/DC(ETF)	150	T4	DC Bayonet	120	2000	12	Frosted
250Q/CL/DC(ESS)	250	T4	DC Bayonet	120	2000	12	Clear
250Q/CL/MC(EHT)	250	T4	E11 Mini Can	120	2000	12	Clear
250Q/DC(ETB)	250	T4	DC Bayonet	120	2000	12	Frosted
500Q/MC(EYX)	500	T4	E11 Mini Can	120	2000	12	Frosted

TRU-AIM®




UV stop capsule with axial filament.

Mfr Part No	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Beam Type	Price
20MR11/FL35(FTD)	20	MR11	GU4	12	4000	10	Flood
20MR16/FL40(BAB)	20	MR16	GU5.3	12	4000	20	Flood
35MR16/FL40(FMW)	35	MR16	GU5.3	12	4000	20	Flood
35MR16/NSP8(FRB)	35	MR16	GU5.3	12	4000	20	Narrow Spot
50MR16/B/FL35/C(EXN)	MR16	GU5.3	12	Flood	10		4000
50MR16/FL40(EXN)	50	MR16	GU5.3	12	4000	20	Flood
50MR16/NFL/25(EXZ)	50	MR16	GU5.3	12	4000	20	Narrow Flood
50MR16/NSP12(EXT)	50	MR16	GU5.3	12	4000	20	Narrow Spot
50MR16/T/NFL25(EXZ)	MR16	GU5.3	12	Narrow Flood	10		4000
50MR16/T/NFL40(EXN)	MR16	GU5.3	12	Flood	10		4000
65MR16/FL40(FPB)	65	MR16	GU5.3	12	4000	10	Flood
65MR16/NFL25(FPC)	65	MR16	GU5.3	12	4000	10	Narrow Flood
65MR16/NSP10(FPA)	65	MR16	GU5.3	12	4000	10	Narrow Spot

**Fluorescent
Instant Start**

Slimline




Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
F48T12/CW	39	T12	Single Pin	9000	30	46.00	62	48
F60T12/CW	50	T12	Single Pin	12000	30	58.00	62	60
F64T12/CW	52	T12	Single Pin	12000	30	62.00	62	64
F72T12/CW	55	T12	Single Pin	12000	15	70.00	62	72
F84T12/CW	70	T12	Single Pin	12000	15	82.00	62	84
F96T12/D41/ECO	75	T12	Single Pin	12000	15	94.00	70	96
F96T12/DSGN50	75	T12	Single Pin	12000	15	94.00	90	96
F96T12/DX	75	T12	Single Pin	12000	15	94.00	88	96

Preheat

Miniature

Starter required.



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
F13T5/CW	13	T5	Mini Bipin	7500	24	20.91	62	21
F13T5/WW	13	T5	Mini Bipin	7500	24	20.91	52	21
F4T5/CW	4	T5	Mini Bipin	6000	24	5.91	62	6
F6T5/CW	6	T5	Mini Bipin	7500	24	8.91	62	9
F8T5/CW	8	T5	Mini Bipin	7500	24	11.91	62	12
F8T5/WW	8	T5	Mini Bipin	7500	24	11.91	52	12


Starter required.



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
F15T12/CW	15	T12	Med. Bipin	7500	30	17.78	62	18
F15T8/CW	15	T8	Med. Bipin	7500	24	17.78	62	18
F18T8CW/K24	18	T8	Med. Bipin	7500	24	23.78	62	24
F20T12/CW	20	T12	Med. Bipin	9000	30	23.78	62	24
F20T12/D	20	T12	Med. Bipin	9000	30	23.78	76	24
F20T12/WW	20	T12	Med. Bipin	9000	30	23.78	52	24
F30T8/CW	30	T8	Med. Bipin	7500	24	35.78	62	36

Rapid Start

Circline




Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	CRI	OD In	Price
FC12T9/CW/RS	32	T9	4 Pin	15000	12	62	11.50-12.00
FC8T9/CW/RS	22	T9	4 Pin	12000	12	62	8.00-8.50

Fluorescent
Rapid Start

High Output 800 mA



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
F24T12/CW/HO	35	T12	Recessed DC	9000	30	21.91	62	24
F24T12/D/HO	35	T12	Recessed DC	9000	30	21.91	76	24
F30T12/CW/HO	42	T12	Recessed DC	9000	30	27.91	62	30
F36T12/CW/HO	45	T12	Recessed DC	9000	30	33.91	62	36
F36T12/D/HO	45	T12	Recessed DC	9000	30	33.91	76	36
F42T12/D/HO	55	T12	Recessed DC	9000	30	39.91	76	42
F48T12/CW/HO	60	T12	Recessed DC	12000	30	46.00	62	48
F48T12/D/HO	60	T12	Recessed DC	12000	30	46.00	76	48
F60T12/CW/HO	75	T12	Recessed DC	12000	30	57.91	62	60
F60T12/D/HO	75	T12	Recessed DC	12000	30	57.91	76	60
F64T12/CW/HO	80	T12	Recessed DC	12000	30	61.91	62	64
F64T12/D/HO	80	T12	Recessed DC	12000	30	61.91	76	64
F72T12/CW/HO	85	T12	Recessed DC	12000	15	69.91	62	72
F72T12/D/HO	85	T12	Recessed DC	12000	15	69.91	76	72
F84T12/CW/HO	100	T12	Recessed DC	12000	15	81.91	62	84
F84T12/D/HO	100	T12	Recessed DC	12000	15	81.91	76	84
F96T12/CW/HO/COLDTEMP	110	T12	Recessed DC	12000	15	93.91	62	96
F96T12/D/HO/COLDTEMP	110	T12	Recessed DC	12000	15	93.91	76	96
F96T12/D41/HO	110	T12	Recessed DC	12000	15	93.91	70	96



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	Mole In	CRI	Lgth In	Price
F30T12/CW/RS	30	T12	Med. Bipin	18000	30	35.78	62	36
F40/D41	40	T12	Med. Bipin	20000	30	47.78	70	48
F40/D830/ECO	40	T12	Med. Bipin	20000	30	47.78	80	48
F40/D835/ECO	40	T12	Med. Bipin	20000	30	47.78	80	48
F40/DX	40	T12	Med. Bipin	20000	30	47.78	88	48
F40DSGN50	40	T12	Med. Bipin	20000	30	47.78	90	48

High Intensity Discharge

Lumalux - HPS



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	ANSI Ballast No	Lamp Finish	Oper Pos	Price
LU100/ECO	100	ET23.5	E39 Mogul	24000+	20	S54	Clear	Universal
LU-100/MED	100	E17	E26 Med.	24000+	20	S54	Clear	Universal
LU150/55/ECO	150	ET23.5	E39 Mogul	24000+	20	S55	Clear	Universal
LU-150/55/MED	150	E17	E26 Med.	24000+	20	S55	Clear	Universal
LU250/ECO	250	ET18	E39 Mogul	24000+	20	S50	Clear	Universal
LU-35/MED	35	E17	E26 Med.	16000+	20	S76	Clear	Universal
LU400/ECO	400	ET18	E39 Mogul	24000+	20	S51	Clear	Universal
LU-50/MED	50	E17	E26 Med.	24000+	20	S68	Clear	Universal
LU70/ECO	70	ET23.5	E39 Mogul	24000+	20	S62	Clear	Universal
LU-70/MED	70	E17	E26 Med.	24000+	20	S62	Clear	Universal

Mercury



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	ANSI Ballast No	Lamp Finish	Oper Pos	Price
H37KC-250/DX	250	BT/ED28	E39 Mogul	24000+	6	H37	Coated	Universal
H39KC-175/DX	175	BT/ED28	E39 Mogul	24000+	6	H39	Coated	Universal



Lamps


High Intensity Discharge

Metalarc Pro-Tech



Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	ANSI Ballast No	Lamp Finish	Oper Pos	Price
M1000/U/BT37	1000	BT37	E39 Mogul	9000	6	M47/E	Clear	Universal
M400/C/U	400	BT37	E39 Mogul	15000	6	M59/S	Coated	Universal
M400/U	400	BT37	E39 Mogul	15000	6	M59/S	Clear	Universal
MP100/C/U/MED	100	E17	E26 Med.	10000	20	M90/O	Coated	Universal
MP100/U/MED	100	E17	E26 Med.	10000	20	M90/O	Clear	Universal
MP150/U/MED	150	E17	E26 Med.	10000	20	M102/O	Clear	Universal
MP175/C/U/MED	175	ED17	E26 Med.	7500	20	M57/E	Coated	Universal
MP175/U/MED	175	ED17	E26 Med.	7500	20	M57/E	Clear	Universal
MP50/C/U/MED	50	E17	E26 Med.	10000	20	M110/O	Coated	Universal
MP70/C/U/MED	70	E17	E26 Med.	10000	20	M98/O	Coated	Universal
MP70/U/MED	70	E17	E26 Med.	10000	20	M98/O	Clear	Universal
MS360/SS/BU-HOR	360	BT37	E39 Mogul	15000	6	M59/S	Clear	BU-HOR

Metalarc Pulse Start



High output, low wattage. Reduced color shift. Open or enclosed fixtures.

Mfr Part No	Watts	Bulb	Base	Ave Life Hrs	Pkg Qty	ANSI Ballast No	Lamp Finish	Oper Pos	Beam Type	Price
MP100PAR38/U/FL35/ECO	100	PAR38	E26 Med. Socket	8500	6	M90/O		Universal	Flood
MP50/U/MED	50	E17	E26 Med.	10000	20	M110/O	Clear	Universal	

Incandescent

Decorative



Mfr Part No	Desc	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Price
25B10C/DL/BL-120V	Dbl. Life Clear Decor Bent tip	25	B10	Candelabra	120	3000	12
25F/CL-120V	Clear Flame Shape	25	F15	Med.	120	1500	24
25F/W/BL/2PK-120V	Soft White Flame Shape	25	F15	Med.	120	1500	12
25G16.5C-120V	Clear Globe	25	G16.5	Candelabra	120	1500	24
25G25-120V	Clear Globe	25	G25	Med.	120	1500	24
40B10C/BL/2PK-120V	Clear Decor Bent Tip	40	B10	Candelabra	120	1500	12
40B10C/CRYSTAL/DL/BL/2PK-120V	Dbl. Life Crystal Bent Tip	40	B10	Candelabra	120	3000	12
40B10C/T/BL/2PK-120V	Clear Decor Blunt Tip	40	B10	Candelabra	120	1500	12
40F/CL-120V	Clear Flame Shape	40	F15	Med.	120	1500	24
40F/IC/BL/2PK-120V	Iridescent Flame Shape	40	F15	Med.	120	1500	12
40G16.5C-120V	White Globe	40	G16.5	Candelabra	120	1500	24
40G25/W-120V	Soft White Globe	40	G25	Med.	120	1500	24
40G25-120V	Clear Globe	40	G25	Med.	120	1500	24
60B10C/BL/2PK-120V	Clear Decor Bent Tip	60	B10	Candelabra	120	1500	12
60B10C/T/BL/2PK-120V	Clear Decor Blunt Tip	60	B10	Candelabra	120	1500	12
60B10C/W/BL/2PK-120V	Soft White Decor Bent Tip	60	B10	Candelabra	120	1500	12
60F/CL-120V	Clear Flame Shape	60	F15	Med.	120	1500	24
60G25/W-120V	Soft White Globe	60	G25	Med.	120	1500	24



General Purpose



Mfr Part No	Desc	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Price
100A/4/RP-120V	Std. Frost	100	A19	Med.	120	750	48
100A/90/SS-120V	Std. Frost SuperSaver	90	A19	Med.	120	750	48
100A/90/SS-130V	Std. Frost SuperSaver	90	A19	Med.	130	750	48
100A/90/SSXL-130V	Std. Frost SuperSaver XL	90	A19	Med. Brass	130	2500	48
100A/CL-120V	Clear	100	A19	Med.	120	750	120
100A/RS/2/RP-120V	Inside Frost Rough Service	100	A19	Med.	120	1000	24
100A/RS/2/RP-130V	Inside Frost Rough Service	100	A19	Med.	130	1000	24
100A/W/RP-120V	Soft White	100	A19	Med.	120	750	24
100A-130V	Std. Frost	100	A19	Med.	130	750	48
100A21-120V	Std. Frost	100	A21	Med.	120	750	48
10S11N/CL-120V	Clear Ruggedized	10	S11	Intermediate	120	1500	120
150A21/135/SS-120V	Std. Frost SuperSaver	135	A21	Med.	120	750	48
150A21/135/SS-130V	Std. Frost SuperSaver	135	A21	Med.	130	750	48
150A21/CL-120V	Clear	150	A21	Med.	120	750	48
150A21/CL-130V	Clear	150	A21	Med.	130	750	48
150A21-120V	Std. Frost	150	A21	Med.	120	750	48
150A21-130V	Std. Frost	150	A21	Med.	130	750	48
15A15-120V	Inside Frost	15	A15	Med.	120	2500	120
15A15-130V	Inside Frost	15	A15	Med.	130	2500	120
200A21/CL-RP-120V	Clear Utility Light	200	A21	Med.	120	750	12
20T6.5/IF-120V	Inside Frost Exit Lamp	20	T6.5	Intermediate	120	10000	60
20T6.5DC/IF-120V	Inside Frost Exit Lamp	20	T6.5	DC Bayonet	120	10000	60
250R40/10-120V	Red Bowl IR Heat Lamp Reflector Hard Glass	250	R40	Med.	120	5000	6
25A/277V	Std. Frost	25	A19	Med.	130	2500	120
25A/CL/RP-120V	Clear	25	A19	Med. Brass	120	2500	120
25A/W/RP-120V	Soft White	25	A19	Med.	120	2500	24
25A-120V	Std. Frost	25	A19	Med.	120	2500	120
25A-130V	Std. Frost	25	A19	Med.	120	2500	120
25T6.5/DC-120V	Clear Scale Illuminator	25	T6.5	DC Bayonet	120	1000	60
25T6.5/IF-120V	Inside Frost	25	T6.5	Intermediate	120	1000	60
25T6.5-120V	Clear	25	T6.5	Intermediate	120	1000	60
25T6.5-130V	Clear	25	T6.5	Intermediate	130	1000	60
300PAR56/MFL-120V	Med. Flood	300	PAR56	Mogul End Prong	120	2000	12
300PAR56/WFL-120V	Wide Flood	300	PAR56	Mogul End Prong	120	2000	12
30R20-120V	Reflector Flood	30	R20	Med. Brass	120	2000	60
40A/34/SS-130V	Std. Frost SuperSaver	34	A19	Med.	130	1500	48
40A/4/RP-120V	Std. Frost	40	A19	Med.	120	1500	48
40A/CL/RP-120V	Clear	40	A19	Med.	120	1500	24
40A-130V	Std. Frost	40	A19	Med.	130	1500	48
40A15/CL/BL-120V	Clear Appliance	40	A15	Med.	120	1000	12
40A15-120V	Inside Frost Appliance	40	A15	Med.	120	1000	120
40S11N-120V	Clear Hi Intensity	40	S11	Intermediate	120	500	120
40T10-120V	Clear	40	T10	Med.	120	1000	60



Lamps

Incandescent

General Purpose


Mfr Part No	Desc	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Price
50/150A21/W/RP-120V	Soft White 3-Way	50	A21	3 Contact Med.	120	1200	12
50A/RS/SL-120V	Safeline Rough Service	50	A19	Med. Brass	120	1000	120
50ER30-130V	Elliptical Reflector Flood	50	ER30	Med.	130	2000	24
50R20-120V	Reflector Flood	50	R20	Med.	120	2000	60
50R20-130V	Reflector Flood	50	R20	Med.	130	2000	60
60A/4/RP-120V	Std. Frost	60	A19	Med.	120	1000	48
60A/52/SS-120V	Std. Frost SuperSaver	52	A19	Med.	120	1000	48
60A/52/SS-130V	Std. Frost SuperSaver	52	A19	Med.	130	1000	48
60A/52/SSXL-130V	Std. SuperSaver XL	52	A19	Med. Brass	130	2500	48
60A/CL/RP-120V	Clear	60	A19	Med.	120	1000	24
60A/RS/RP/1-120V	Inside Frost Rough Service	60	A19	Med.	120	1000	12
60A/Y/RP-120V	Yellow Bug Light	60	A19	Med.	120	1000	24
60A-130V	Std. Frost	60	A19	Med.	130	1000	48
60A15/CL/FAN/RP-120V	Clear Ceiling Fan Light	60	A15	Med.	120	1000	24
6S6/CL-120V	Clear Indicator	6	S6	Candelabra	120	1500	120
6S6/CL-130V	Clear Indicator	6	S6	Candelabra	130	1500	120
7.5S/CW-120V	Ceramic White	7.5	S11	Med.	120	1400	120
75A/4/RP-120V	Std. Frost	75	A19	Med.	120	750	48
75A/67/SS-120V	Std. Frost SuperSaver	67	A19	Med.	120	750	48
75A/67/SS-130V	Std. Frost SuperSaver	67	A19	Med.	130	750	48
75A/CL/RP-120V	Clear	75	A19	Med.	120	750	24
75A/RS/2/RP-120V	Inside Frost Rough Service	75	A19	Med.	120	1000	24
75A-130V	Std. Frost	75	A19	Med.	130	750	48
75A21/RS/SL/RP-120V	Safeline Rough Service Inside Frost	75	A21	Med.	120	1000	12
75ER30-120V	Elliptical Reflector Flood	75	ER30	Med.	120	2000	24
75ER30-130V	Elliptical Reflector Flood	75	ER30	Med.	130	2000	24

Sample




Tungsten Halogen

Double End Quartz




Mfr Part No	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Lamp Finish	Price
1500T3Q/CL240V	1500	T3	RSC	240	2000	12	Clear
1500T3Q/CL277V	1500	T3	RSC	277	2000	12	Clear
150T3Q/CL/RP	150	T3	RSC	120	1500	6	Clear
150T3Q/S/CL/RP	150	T3	RSC	120	2000	6	Clear
300T3Q/CL	300	T3	RSC	130	2000	12	Clear
300T3Q/CL(EHM)	300	T3	RSC	120	2000	12	Clear
300T3Q/CL/RP(EHM)	300	T3	RSC	120	2000	6	Clear
500T3Q/CL	500	T3	RSC	130	2000	12	Clear
500T3Q/CL(FCL)	500	T3	RSC	120	2000	12	Clear

Midbreak - A-Line



Mfr Part No	Desc	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Price
52MB/CAP-130V	Inside Frost	52	MB19	ED26 Med.	130	3500	12
72MB/CAP-120V	Inside Frost	72	MB19	ED26 Med.	120	3500	12
72MB/CAP-130V	Inside Frost	72	MB19	ED26 Med.	130	3500	12



Mfr Part No	Watts	Bulb	Base	Volts	Ave Life Hrs	Pkg Qty	Lamp Finish	Price
20T3Q/CL	20	T3 Bi-Pin	G4	12	2000	40	Clear

Sample

Table of Contents

Categorized Listing

Osram Sylvania	1
Lamps	1
<i>Fluorescent</i>	1
Compact	1
DULUX® EL	1
DULUX® L - High Lumen	1
DULUX® S Preheat -	1
ECOLOGIC®	1
DULUX® Twist	1
Instant Start	1
SUPERSAVER® - Slimline	1
DULUX® EL - Compact	1
OCTRON® - CURVALUME®	2
OCTRON® 700	2
OCTRON® 800	2
PENTRON® - High Output	2
Rapid Start	3
CURVALUME® -	3
SUPERSAVER®	3
SUPERSAVER®	3
<i>Tungsten Halogen</i>	3
CAPSYLITE®	3
CAPSYLITE® A-Line	4
CAPSYLITE® Long Neck	4
SUPER Q® - Single End Quartz	4
TRU-AIM®	4
<i>Fluorescent</i>	5
Instant Start	5
Slimline	5
Preheat	5
Miniature	5
Rapid Start	5
Circline	5
High Output 800 mA	6
<i>High Intensity Discharge</i>	6
Lumalux - HPS	6
Mercury	6
Metalarc Pro-Tech	7
Metalarc Pulse Start	7
<i>Incandescent</i>	7
Decorative	7
General Purpose	8
<i>Tungsten Halogen</i>	10
Double End Quartz	10
Midbreak - A-Line	10

Sample

Table of Contents

Alphabetized listing

C	
CAPSYLITE®	3
CAPSYLITE® A-Line	4
CAPSYLITE® Long Neck	4
Circline	5
Compact	1
CURVALUME® - SUPERSAVER®	3
D	
Decorative	7
Double End Quartz	10
DULUX® EL	1
DULUX® EL - Compact	1
DULUX® L - High Lumen	1
DULUX® S Preheat - ECOLOGIC®	1
DULUX® Twist	1
F	
Fluorescent	1-3,5-6
G	
General Purpose	8
H	
High Intensity Discharge	6-7
High Output 800 mA	6
I	
Incandescent	7-8
Instant Start	1,5
L	
Lamps	1-10
Lumalux - HPS	6
M	
Mercury	6
Metalarc Pro-Tech	7
Metalarc Pulse Start	7
Midbreak - A-Line	10
Miniature	5
O	
OCTRON® - CURVALUME®	2
OCTRON® 700	2
OCTRON® 800	2
Osram Sylvania	1-10
P	
PENTRON® - High Output	2
Preheat	5
R	
Rapid Start	3,5-6
S	
Slimline	5
SUPER Q® - Single End Quartz	4
SUPERSAVER®	3
SUPERSAVER® - Slimline	1
T	
TRU-AIM®	4
Tungsten Halogen	3-4,10

Sample