

# Table of Contents

## Categorized Listing

<b>NAILS FOR FRAMING NAILERS</b>	<b>1</b>
CLIPPED HEAD STRIP NAILS	1
28° CLIPPED HEAD STRIP NAILS (Wire Collated)	1
31° CLIPPED HEAD STRIP NAILS (Paper Collated)	2
ROUND HEAD STRIP NAILS	3
21° FULL ROUND HEAD STRIP NAILS (Plastic Collated)	3
<b>NAILS FOR SIDING NAILERS</b>	<b>4</b>
ROUND HEAD COLLATED NAILS	4
JOIST HANGER NAILS - Hanger / Plywood Nails (Plastic Collated Strip)	4
JOIST HANGER NAILS - Hanger / Plywood Nails (Plastic Collated Coil)	4
15° ROUND HEAD COIL NAILS (Plastic Collated Coil)	4
ROUND HEAD PLASTIC SHEET COLLATED COIL NAILS	5
PLASTIC SHEET COLLATED NAILS	5
PLASTIC SHEET COLLATED COIL NAILS (Duo-Fast)	5
<b>NAILS FOR FRAMING &amp; PALLET NAILERS</b>	<b>6</b>
ROUND HEAD WIRE COLLATED NAILS	6
15° FRAMING & DECKING NAILS (Flat Coil, Wire Collated)	6
PALLET & CRATING ROUND HEAD WIRE COLLATED NAILS	7
15° PALLET NAILS (Flat Coil, Wire Collated)	7
<b>NAILS FOR FRAMING NAILERS</b>	<b>7</b>
ROUND HEAD WIRE COLLATED NAILS	7
15° PALLET NAILS (High Load, Flat Coil, Wire Collated)	7
15° COIL NAILS (Flat Coil, Wire Collated to fit Max & Bostitch Coil Nailers)	8
15° MINI NAILS (Flat Coil, Wire Collated)	8
15° MINI NAILS (Cone Coil, Wire Collated)	8
WIRE COLLATED ROOFING NAILS	9
GALVANIZED ROOFING NAILS	9
<b>NAILS FOR BRAD NAILERS</b>	<b>10</b>
18 GAUGE BRADS	10
18 GAUGE BRADS (Made of Galvanized Wire / No Plating After Manufacture)	10
16 GAUGE BRADS	11
16 GAUGE BRADS (Made of Galvanized Wire / No Plating After Manufacture)	11
15 GAUGE BRADS	12
ANGLE 15 GAUGE FINISH BRADS	12

Sample

# CLIPPED HEAD STRIP NAILS

**APPLICATIONS:** General framing, sub-flooring, wall sheathing, and roof decking, wood to concrete.  
 Available in additional sizes.



**BOSTITCH N70S**  
**BOSTITCH N80S**  
**BOSTITCH N80SB**



**BOSTITCH N88WW**  
**BOSTITCH N88WWB**



**BOSTITCH N100S**



**FASCO F6 HHN 28-90**  
**FASCO F5C HHN 28-90**  
**FASCO R5C HHN 28-90**





**MAX SN890CH/28**



**PORTER CABLE FM350A**

## 28° CLIPPED HEAD STRIP NAILS (Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
10011	BW06D113-B	2"x.113 Decking Nail	2.0 M	14 Lbs.
10022	BW06D113-B-R	2"x.113 Ring Decking Nail	2.0 M	14 Lbs.
10023	BW06D113-G	2"x.113 Galv. Decking Nail	2.0 M	14 Lbs.
10032	BW06D113-G-R	2"x.113 Galv. Ring Decking Nail	2.0 M	14 Lbs.
10041	BW08D113-B	2 3/8"x.113 Decking Nail	2.0 M	17 Lbs.
10051	BW08D113-B-R	2 3/8"x.113 Ring Decking Nail	2.0 M	17 Lbs.
10061	BW08D113-G	2 3/8"x.113 Galv. Decking Nail	2.0 M	17 Lbs.
10071	BW08D113-G-R	2 3/8"x.113 Galv. Ring Decking Nail	2.0 M	17 Lbs.
10081	BW10D120-B	3"x.120 Framing Nail	2.0 M	20 Lbs.
10106	BW10D120-G	3"x.120 Galv. Framing Nail	2.0 M	20 Lbs.
10107	BW10D120-G-R	3"x.120 Galv. Ring Decking Nail	2.0 M	20 Lbs.
10101	BW10D131-B	3"x.131 Framing Nail	2.0 M	22 Lbs.
10111	BW10D131-G	3"x.131 Galv. Framing Nail	2.0 M	22 Lbs.
10131	BW12D131-B	3 1/4"x.131 Framing Nail	2.0 M	28 Lbs.
10141	BW12D131-G	3 1/4"x.131 Galv. Framing Nail	2.0 M	28 Lbs.
10151	BW16D131-B	3 1/2"x.131 Framing Nail	2.0 M	30 Lbs.
10161	BW16D131-G	3 1/2"x.131 Galv. Framing Nail	2.0 M	30 Lbs.



Items denoted with an asterisk may be special order items. Tool illustrations may vary slightly from actual tool.

# CLIPPED HEAD STRIP NAILS

**APPLICATIONS:** General framing, sub-flooring, wall sheathing, and roof decking, wood to concrete.  
Available in additional sizes.



**BOSTITCH N90PT**



**DEWALT D51823**



**FASCO F6 HHN 31-90  
FASCO R5C HHN 31-90**



**HITACHI NR90AA  
HITACHI NR83AA3  
HITACHI NR83AA**



**MAKITA AN942**



**MAX SN890CH/34**



**PASLODE IMPULSE 325  
PASLODE IMPULSE 325CT  
PASLODE IMPULSE 350  
PASLODE IM CT, IM 325PP**



**PASLODE 5300, 5325, 5350  
PASLODE Power Master 5350-90S**



**PASLODE F350S Power Master Plus  
PASLODE F400S Power Master Plus**



**PORTER CABLE FC350  
PORTER CABLE FM350**




**SENCO SN30  
SENCO SN32  
SENCO SN2  
SENCO SN2+  
SENCO SN3  
SENCO SN4**



**SENCO FramePro® 701XP  
SENCO FramePro® 751XP  
SENCO FramePro® 601  
SENCO FramePro® 651  
SENCO FramePro® 700/750  
SENCO FramePro® 600/650**

## 31° CLIPPED HEAD STRIP NAILS (Paper Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
10410	PT06D113-B	2"x.113 Decking Nail	5.0 M	31 Lbs.
10420	PT06D113-B-R	2"x.113 Decking Ring Nail	5.0 M	31 Lbs.
10430	PT06D113-G	2"x.113 Galvanized Decking Nail	5.0 M	31 Lbs.
10435	* PT06D113-HDG	2"x.113 Hot Dip Galvanized Nail	5.0 M	30 Lbs.
10440	PT06D113-G-R	2"x.113 Galvanized Ring Decking Nail	5.0 M	31 Lbs.
10445	* PT06D113-HDG-R	2"x.113 Hot Dip Galvanized Ring Nail	5.0 M	30 Lbs.
10450	PT07D113-H	2 1/4"x.113 Hardened Nail	1.0 M	7 Lbs.
10460	PT08D113-B	2 3/8"x.113 Decking Nail	5.0 M	38 Lbs.
10470	PT08D113-B-R	2 3/8"x.113 Ring Decking Nail	5.0 M	36 Lbs.
10480	PT08D113-G	2 3/8"x.113 Galvanized Decking Nail	5.0 M	38 Lbs.
10485	* PT08D113-HDG	2 3/8"x.113 Hot Dip Galvanized Nail	5.0 M	36 Lbs.
10490	PT08D113-G-R	2 3/8"x.113 Galvanized Ring Decking Nail	5.0 M	38 Lbs.
10495	* PT08D113-HDG-R	2 3/8"x.113 Hot Dip Galvanized Ring Nail	5.0 M	36 Lbs.
10500	PT10D120-B	3"x.120 Decking Nail	2.5 M	27 Lbs.
10510	PT10D120-B-R	3"x.120 Ring Decking Nail	2.5 M	30 Lbs.
10515	* PT10D120-HDG	3"x.120 Hot Dip Galvanized Nail	2.5 M	25 Lbs.
10520	PT10D120-G-R	3"x.120 Galvanized Ring Decking Nail	2.5 M	30 Lbs.
10525	* PT10D120-HDG-R	3"x.120 Hot Dip Galvanized Ring Nail	2.5 M	25 Lbs.
10530	PT10D131-B	3"x.131 Framing Nail	2.5 M	32 Lbs.
10540	PT10D131-G	3"x.131 Galvanized Framing Nail	2.5 M	32 Lbs.
10545	* PT10D131-HDG	3"x.131 Hot Dip Galvanized Nail	2.5 M	29 Lbs.
10550	PT12D131-B	3 1/4"x.131 Framing Nail	2.5 M	34 Lbs.
10560	PT12D131-G	3 1/4"x.131 Galvanized Framing Nail	2.5 M	34 Lbs.
10565	* PT12D131-HDG	3 1/4"x.131 Hot Dip Galvanized Nail	2.5 M	32 Lbs.
10570	PT16D131-B	3 1/2"x.131 Framing Nail	2.5 M	36 Lbs.
10580	PT16D131-G	3 1/2"x.131 Galvanized Framing Nail	2.5 M	36 Lbs.



The Interchange® hot-dipped galvanized PT nails are a true hot dipped nail and exceed the requirements of the 1991 ICBO Uniform Building Code (UBC) standards for power driven nails as specified in Table 25-17-T in Part IV. Furthermore, they exceed ASTM A641-91, Class II specifications for coating weight, which calls for a .5 ounce/ft².

Interchange®'s hot dipped galvanized nail specification calls for a minimum thickness of 1.0 ounce/ft², doubling Class II specifications, exceeding ASTM A649-91, Class III, and tripling the requirements of the 1991 UBC standards.

### PAPER COLLATED



# ROUND HEAD STRIP NAILS

**APPLICATIONS:** Framing, deck and wall sheathing, fencing and siding.

Available in additional sizes.



**BOSTITCH N95RHN**  
BOSTITCH N88RH-MCN2  
BOSTITCH N88RH



**BOSTITCH N80SB**  
BOSTITCH N86S  
BOSTITCH N88RH-MCN2  
BOSTITCH N100S  
BOSTITCH RN90



**DEWALT D51845**



**DUO-FAST CN-350**  
DUO-FAST CN-350B (22°)  
DUO-FAST CN-350B-SH  
DUO-FAST CN-137



**FASCO F5C RHN20-83**  
FASCO F6 RHN20-90  
FASCO R5C RHN20-90



**HITACHI NR83A (20°)**  
HITACHI NR90AC



**MAKITA AN8300**  
MAKITA AN922



**MAX SN80, SN90, SN90A**  
MAX SN890RH  
SPOTNAILS NPR90



**PASLODE 5350/SRH-20**



**PORTER CABLE FR350**



**SENCO SN65**  
SENCO SN65  
SENCO SN65C



**SENCO FramePro® 600 FRH**  
SENCO FramePro® 650  
SENCO FramePro® 700XL  
SENCO FramePro® 750XL

## 21° FULL ROUND HEAD STRIP NAILS (Plastic Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
12008	DPS06D113-HDG-R	2'x.113 Hot Dip Galvanized Ring	6.0 M	39 Lbs.
12015	DPS06D113-B	2'x.113 Decking Nail	6.0 M	37 Lbs.
12013	DPS06D113-B-R	2'x.113 Ring Decking Nail	6.0 M	40 Lbs.
12016	DPS06D113-G	2'x.113 Galvanized Decking Nail	6.0 M	40 Lbs.
12017	DPS06D113-G-R	2'x.113 Galvanized Ring Decking Nail	6.0 M	40 Lbs.
12020	DPS07D120-H	2 1/4"x.120 Hardened Nail	5.0 M	37 Lbs.
12025	DPS08D113-B	2 3/8"x.113 Decking Nail	5.0 M	37 Lbs.
12030	DPS08D113-B-R	2 3/8"x.113 Ring Decking Nail	5.0 M	37 Lbs.
12035	* DPS08D113-B-S	2 3/8"x.113 Screw Decking Nail	5.0 M	43 Lbs.
12037	* DPS08D113-HDG	2 3/8"x.113 Hot Dip Galvanized Nail	5.0 M	37 Lbs.
12038	* DPS08D113-HDG-R	2 3/8"x.113 Hot Dip Galvanized Ring Nail	5.0 M	37 Lbs.
12040	DPS08D113-G	2 3/8"x.113 Galvanized Decking Nail	5.0 M	37 Lbs.
12042	* DPS08D113-G-R	2 3/8"x.113 Galvanized Ring Decking Nail	5.0 M	40 Lbs.
12046	* DPS08D120-SS-R	2 1/2"x.120 Stainless Steel Ring	5.0 M	40 Lbs.
12050	DPS08D131-B	2 1/2"x.131 Shear Nail (8D Common)	5.0 M	38 Lbs.
12055	DPS08D131-G	2 1/2"x.113 Galvanized Decking Nail	5.0 M	45 Lbs.
12060	DPS10D120-B	3'x.120 Decking Nail	4.0 M	43 Lbs.
12063	DPS10D120-B-S	3'x.120 Screw Decking Nail	4.0 M	43 Lbs.
12064	DPS10D120-B-R	3'x.120 Ring Decking Nail	4.0 M	43 Lbs.
12066	DPS10D120-G-R	3'x.120 Galvanized Ring Decking Nail	4.0 M	43 Lbs.
12067	* DPS10D120-SS-R	3'x.120 Stainless Steel Ring	4.0 M	43 Lbs.
12068	DPS10D120-MG-S	3'x.120 Mech. Galvanized Screw	4.0 M	42 Lbs.
12070	DPS10D131-B	3'x.131 Framing Nail	4.0 M	46 Lbs.
12075	* DPS10D131-B-S	3'x.131 Screw Framing Nail	4.0 M	43 Lbs.
12082	* DPS10D131-HDG	3'x.131 Hot Dip Galvanized Nail	4.0 M	46 Lbs.
12083	* DPS10D131-HDG-R	3'x.131 Hot Dip Galvanized Ring Nail	4.0 M	46 Lbs.
12085	DPS10D131-G	3'x.131 Galvanized Framing Nail	4.0 M	46 Lbs.
12110	DPS12D120-B	3 1/4"x.120 Framing Nail	4.0 M	46 Lbs.
12011	* DPS12D120-SS-R	3 1/4"x.120 Stainless Steel Ring	4.0 M	46 Lbs.
12115	DPS12D131-B	3 1/4"x.131 Framing Nail	4.0 M	50 Lbs.
12125	* DPS12D131-G	3 1/4"x.131 Galvanized Framing Nail	4.0 M	50 Lbs.
12140	* DPS12D131-HDG	3 1/4"x.131 Hot Dip Galvanized Nail	4.0 M	50 Lbs.

**PLASTIC COLLATED**



Items denoted with an asterisk may be special order items. Tool illustrations may vary slightly from actual tool.

# ROUND HEAD COLLATED NAILS

**APPLICATIONS:** Framing, decking and wall sheathing, fencing and siding.

Available in additional sizes.



**BOSTITCH N88RH-MCN-2**  
DUO-FAST CN-350  
DUO-FAST CN-350B



**HITACHI NR83A**  
HITACHI NR83A2  
HITACHI NR90AC2  
HITACHI NR90AC3



**MAX SN90**  
MAX SN90A  
MAX SN890RH  
PASLODE 5250/65S PP  
(Positive Placement Tool)



**SENCO SN60**  
SENCO SN60MC  
(Positive Placement Tool)  
SENCO FramePro® 602/652  
SENCO FramePro® 702XP/752XP

## JOIST HANGER NAILS - Hanger / Plywood Nails (Plastic Collated Strip)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
12205	* HPS04D131-PLY	1 1/2"x.131 Code Hanger Nail	5.0 M	30 Lbs.
12210	* HPS04D148-PLY	1 1/2"x.148 Code Hanger Nail	6.0 M	47 Lbs.
12216	* HPS06D148-PLY	2 1/8"x.148 Code Hanger Nail	5.0 M	53 Lbs.
12217	* HPS08D162-PLY	2 1/2"x.162 Code Hanger Nail	4.0 M	61 Lbs.



**MAX CN601J**

## JOIST HANGER NAILS - Hanger / Plywood Nails (Plastic Collated Coil)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
16322	* FCP40W3	1 1/2"x.131 Code Hanger Nail	2.0 M	15 Lbs.
16323	* FCP40W8	1 1/2"x.148 Code Hanger Nail	4.0 M	39 Lbs.
16324	* FCP65W8	2 1/2"x.148 Code Hanger Nail	4.0 M	50 Lbs.

**APPLICATIONS:** Siding, decking and fencing.

Available in additional sizes.



**HITACHI NV50AA**  
HITACHI VH500  
(shoots .086 nails only)



**HITACHI VH650**

## 15° ROUND HEAD COIL NAILS (Plastic Collated Coil)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
14100	* HPC04D099-HC	1 1/2"x.099 Truss High Carbon Nail	15.0 M	56 Lbs.
14110	* HPC04D105-HC	1 1/2"x.105 Truss High Carbon Nail	15.0 M	58 Lbs.
14140	* HPC06D086-G-R	1 7/8"x.086 Galvanized Ring Nail	11.0 M	43 Lbs.



NAILS FOR SIDING NAILERS

# ROUND HEAD PLASTIC SHEET COLLATED COIL NAILS

**APPLICATIONS:** Siding, fencing, shake shingles and decking.



FASCO F45C CN15W PS-65  
BOSTITCH N63CP



HITACHI NV65AH  
HITACHI NV75AG



MAX CN565S  
MAX CN565D  
MAX CN665



PASLODE 4250-63C-P  
PASLODE 4250-65C-P  
PASLODE 4250C



SENCOS SCN55S  
SENCOS SCN56

## PLASTIC SHEET COLLATED NAILS

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
16855	* MPC06D092-MG	2"x.092 Mech. Galvanized	6.0 M	26.0 Lbs.
16856	* MPC06D092-MG-R	2"x.092 Mech. Galvanized Ring	6.0 M	26.0 Lbs.
16875	* MPC08D092-MG	2 1/2"x.092 Mech. Galvanized	4.8 M	26.0 Lbs.
16876	* MPC08D092-MG-R	2 1/2"x.092 Mech. Galvanized Ring	4.8 M	26.0 Lbs.

**PLASTIC SHEET  
COLLATED**



DUO-FAST DCN-225, KDN-50A  
DUO-FAST RCN-60, RCN-70/60A  
DUO-FAST CNP-60Y, CNP-65Y  
DUO-FAST RCN-60/225ADJ

## PLASTIC SHEET COLLATED COIL NAILS (Duo-Fast)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
14010	* DPC06D097-G	2"x.097 Galvanized	9.0 M	49 Lbs.
14030	* DPC07D097-G	2 1/4"x.097 Galvanized	7.2 M	52 Lbs.

### A Note On Aq (Alkaline Copper Quaternary) and Fastener Recommendations when using Pressure Treated Lumber

On January 1, 2004, government mandates went into effect requiring companies engaged in pressure-treating lumber as a form of preservative to cease using chemical compounds that contain arsenic. Chromated Copper Arsenic, or CCA, was the most common compound used in the market and its use will nearly cease as a result.

In response to this mandate, several formulations have been and will be hitting the market. While they all will conform to the new government standards for toxicity, almost all of them will be extremely corrosive to any form of metal that come in contact with wood preserved with them. This includes fasteners, framing hardware, strapping and any other metallic objects.

Testing to determine proper recommendations for products that tolerate this corrosive environment have been confusing, contradictory and lacking consensus for the most part.

Until more is understood about the effects of the various formulations on the market with metallic objects in general and fasteners in particular, **Interchange Brand®, LLC recommends the use of stainless steel as the basis material for fasteners used in pressure-treated lumber.** The peace of mind afforded by using stainless steel far outweighs the cost in what is currently an uncertain situation. Fastener failures caused by accelerated corrosion in the applications where preserved lumber is used could have significant consequences that can be avoided by using stainless steel.

**NAILS FOR SIDING NAILERS**

# ROUND HEAD WIRE COLLATED NAILS

**APPLICATIONS:** Floor and wall framing, sub-flooring, siding, roof sheathing, decking and fence building.

Available in additional sizes.



Picture  
Not  
Available



BOSTITCH N80C, N80CB  
BOSTITCH N86C  
BOSTITCH N100C  
BOSTITCH N100CPP

DUO-FAST CNW-75  
DUO-FAST DCN-325/85L

HITACHI NV65AB  
HITACHI NV65AC  
HITACHI NV83A  
HITACHI NV83A2

MAX CN70 (to 2 3/4")  
MAX CN80  
MAX CN80F (to 3 1/4")  
MAX CN100

MAX CN890S (to 3 1/2")  
MAX CN890II  
MAX CN665



MAX HN90 High Pressure

PASLODE F275C  
PASLODE F325C  
PASLODE F4250/65CP  
PASLODE F4275/CN70  
PASLODE 5325/CN80


PORTER CABLE COIL350

SENCO SCN65  
SENCO SCN60  
SENCO SCN300

## 15° FRAMING & DECKING NAILS (Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
16409	HWCF06D113-B	2"x.113 Bright Coated Nail Diamond Point	3.0 M	20 Lbs.
16420	* HWCF07D099-B-S	2 1/4"x.099 Bright Screw Nail Chisel Point	3.0 M	17 Lbs.
16440	HWCF08D113-B	2 3/8"x.113 Bright Coated Nail Diamond Point	3.0 M	23 Lbs.
16436	HWCF08D113-B-R	2 3/8"x.113 Bright Ring Nail Diamond Point	3.0 M	23 Lbs.
16442	HWCF08D113-G	2 3/8"x.113 Galvanized Coated Nail Diamond Point	3.0 M	23 Lbs.
16445	HWCF08D113-G-R	2 3/8"x.113 Galvanized Ring Nail Diamond Point	3.0 M	23 Lbs.
16435	* HWCF08D113-B-S	2 1/2"x.113 Bright Screw Nail Chisel Point	3.0 M	24 Lbs.
16450	HWCF10D120-B	3"x.120 Bright Coated Nail Diamond Point	2.5 M	27 Lbs.
16448	HWCF10D120-B-R	3"x.120 Bright Ring Nail Diamond Point	2.5 M	27 Lbs.
16452	HWCF10D120-G	3"x.120 Galvanized Coated Nail Diamond Point	2.5 M	27 Lbs.
16455	HWCF10D120-B-S	3"x.120 Bright Screw Nail Diamond Point	2.5 M	27 Lbs.
16457	HWCF10D120-G-R	3"x.120 Galvanized Ring Nail Diamond Point	2.5 M	27 Lbs.
16460	HWCF10D131-B	3"x.131 Bright Coated Nail Diamond Point	2.5 M	30 Lbs.
16465	HWCF12D120-B	3 1/4"x.120 Bright Coated Nail Diamond Point	2.5 M	29 Lbs.
16466	HWCF12D120-B-S	3 1/4"x.120 Bright Screw Nail Diamond Point	2.5 M	29 Lbs.
16470	HWCF12D131-B	3 1/4"x.131 Bright Coated Nail Diamond Point	2.5 M	33 Lbs.
16475	HWCF12D131-G	3 1/4"x.131 Galvanized Coated Nail Diamond Point	2.5 M	33 Lbs.

FLAT COIL,  
WIRE COLLATED



NAILS FOR FRAMING & PALLET MAILERS

# PALLET & CRATING ROUND HEAD WIRE COLLATED NAILS

**APPLICATIONS:** Manufacturing and repairing wood pallets, boxes, heavy-duty crates, and for crating.



BOSTITCH N63CP, N64CP  
BOSTITCH N57C, N70C  
BOSTITCH N86C, N100C  
BOSTITCH N70CB, N80CB  
BOSTITCH N100CPP



FASCO F5 CN15W-65  
FASCO R5 CN15W-65



HITACHI NV65AB  
HITACHI NV65AC  
HITACHI NV83A



MAX CN70 (to 2 3/4")  
MAX CN80 (to 3 1/4")  
MAX CN80F  
MAX CN100  
MAX CN565



MAX CN890S  
MAX CN890II



PASLODE P275C  
PASLODE P350C  
PASLODE F4250/65CP  
PASLODE 4275/CN70  
PASLODE 5325/CN80



PORTER CABLE COIL250  
PORTER CABLE COIL350



SENCO SCN56  
SENCO SCN60  
SENCO SCN65  
SENCO SCN200  
SENCO SCN300




DUO-FAST CNW-75

## 15° PALLET NAILS (Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
16110	HWCF05D099-B-S	1 3/4"x.099 Bright Screw Nail	9.0 M	40 Lbs.
16115	HWCF06D099-B-S	2"x.099 Bright Screw Nail	9.0 M	45 Lbs.
16120	HWCF07D099-B-S	2 1/4"x.099 Bright Screw Nail	9.0 M	50 Lbs.
16141	* HWCF07D113-B-S	2 1/4"x.113 Bright Screw Nail	9.0 M	50 Lbs.
16125	HWCF08D099-B-S	2 1/2"x.099 Bright Screw Nail	9.0 M	55 Lbs.
16251	* HWCF09D099-B-S	2 3/4"x.099 Bright Screw Nail	9.0 M	55 Lbs.

FLAT COIL,  
WIRE COLLATED



## ROUND HEAD WIRE COLLATED NAILS

**APPLICATIONS:** Floor and wall framing, sub-flooring, siding, roof sheathing, decking and fence building.  
Available in additional sizes.



BOSTITCH N57C  
BOSTITCH N70CB




HITACHI NV65AC



MAX CN70



SENCO SCN60



Senstar Pallet System

**NOTE:** Special Equipment/Installation is required to use the high load nails.

## 15° PALLET NAILS (High Load, Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN	M/COIL
16789	* MWCL05D099-B-S	1 3/4"x.099 Bright Screw Nail	6.0 M	45 Lbs.	3.0 M
16790	* MWCL06D099-B-S	2"x.099 Bright Screw Nail	9.0 M	45 Lbs.	3.0 M
16791	* MWCL07D099-B-S	2 1/4"x.099 Bright Screw Nail	9.0 M	50 Lbs.	3.0 M

# ROUND HEAD WIRE COLLATED NAILS

**APPLICATIONS:** Floor and wall framing, sub-flooring, siding, roof sheathing, decking and fence building.  
Available in additional sizes.



HITACHI NV65AH



MAX CN565S, CN565D




MAX CN890S, CN890II



SENCO SCN56

**FLAT COIL,  
WIRE COLLATED**



## 15° COIL NAILS (Flat Coil, Wire Collated to fit Max & Bostitch Coil Nailers)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
16744	* BWCF06D090-B-S	2"x.090 Bright Screw Nail	9.0 M	30Lbs.
16735	* MWCF06D092-B-S	2"x.092 Galvanized Nail	9.0 M	30 Lbs.
16760	* MWCF07D092-G	2 1/4"x.092 Galvanized Nail	9.0 M	32 Lbs.
16765	* MWCF07D092-G-R	2 1/4"x.092 Galvanized Ring Nail	9.0 M	35 Lbs.
16785	* MWCF08D092-G-S	2 1/2"x.092 Galvanized Screw Nail	9.0 M	35 Lbs.



BOSTITCH N55C  
BOSTITCH N64C  
BOSTITCH N65CP-1, N65CP-2



MAX CN55



SENCO SCN45



SPOTNAILS LCN57  
FASCO R4 CN15W-50  
PASLODE 3225

## 15° MINI NAILS (Flat Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
16389	BWCF05D083-G-R	1 3/4"x.083 Galvanized Ring Nail	14.0 M	19 Lbs.
16485	BWCF06D083-G-R	2"x.083 Galvanized Ring Nail	14.0 M	21 Lbs.
16744	BWCF06D090-B-S	2"x.090 Bright Screw Nail	9.0 M	30Lbs.



HITACHI NV50A1



MAX CN502



SENCO SCN45

## 15° MINI NAILS (Cone Coil, Wire Collated)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
16305	HWCC03D083-B	1 1/4"x.083 Bright Nail	16.0 M	16 Lbs.
16306	HWCC03D083-B-R	1 1/4"x.083 Bright Ring Nail	16.0 M	16 Lbs.
16307	HWCC03D083-B-S	1 1/4"x.083 Bright Screw Nail	16.0 M	16 Lbs.
16309	HWCC03D083-G-R	1 1/4"x.083 Galvanized Ring Nail	16.0 M	16 Lbs.
16399	HWCC05D083-G-R	1 3/4"x.083 Galvanized Ring Nail	16.0 M	23 Lbs.
16411	HWCC06D083-B-R	2"x.083 Bright Ring Nail	16.0 M	24 Lbs.
16415	HWCC06D083-G-R	2"x.083 Galvanized Ring Nail	16.0 M	24 Lbs.

**CONE COIL,  
WIRE COLLATED**



# WIRE COLLATED ROOFING NAILS

**APPLICATIONS:** Asphalt and fiberglass shingles, roofing, felt, foam and fiberboard sheathing, insulation.



BOSTITCH N12B  
BOSTITCH RN45  
BOSTITCH RN45B  
BOSTITCH RN46



DUO-FAST RN-175A  
DUO-FAST DRN-45



FASCO F4 CN15W-45  
FASCO R4 CN15W-45



HITACHI NV45AB  
HITACHI NV45AC  
HITACHI NV45AB2



MAKITA AN451



MAX CN450R



PASLODE 3175/44RCU  
PASLODE R175C



PORTER CABLE 134R  
PORTER CABLE RN175  
PORTER CABLE RN175A



SENCO SCN200R  
SENCO SCN40R  
SENCO RoofPro 450  
SENCO RoofPro 455XP



SPOTNAILS KRN45  
SPOTNAILS CRN114  
SPOTNAILS VRN45


## GALVANIZED ROOFING NAILS

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN
16005	CR34-GAL	3/4"x.121 Roofing Nail	7.2 M	5 Lbs.
16020	CR1-GAL	1"x.121 Roofing Nail	7.2 M	10 Lbs.
16030	CR114-GAL	1 1/4"x.121 Roofing Nail	7.2 M	36 Lbs.
16040	CR112-GAL	1 1/2"x.121 Roofing Nail	7.2 M	42 Lbs.
16050	CR134-GAL	1 3/4"x.121 Roofing Nail	7.2 M	48 Lbs.


## COIL ROOFING



### Low Wire Collation



### High Wire Collation



# 18 GAUGE BRADS

**APPLICATIONS:** Decorative mouldings, picture frame assembly, hardwood trim, cabinet building.



BOSTITCH BT35B  
BOSTITCH BT50B  
BOSTITCH BT125SK  
BOSTITCH BT200K



BOSTITCH T29-30, T31-1  
BOSTITCH SB-1842BN  
BOSTITCH SB-1850BN  
BOSTITCH SB-2IN1



DEWALT D51238



DUO-FAST BB-4440  
DUO-FAST DBN-40525C  
DUO-FAST PRO-5  
DUO-FAST DBN-4440  
DUO-FAST DBN-4450



FASCO F20 PGN-31  
FASCO F20 TGN-40  
FASCO F25A GN-40  
FASCO F26C GN-50  
FASCO R3C GN-50



HITACHI NT45A  
HITACHI NT32AE  
HITACHI NT50AD  
HITACHI NT50AE



MAKITA AF501  
MAKITA AF502



MAX NF211/18-25  
MAX NF211/18-50  
MAX NF221/18-55



MAX NF201/18-35  
(PX only)



OMER BRAD 1220  
OMER BRAD 1240



PASLODE T125-F18  
PASLODE T200-F18  
PASLODE Cordless 901000



PASLODE 2138-F18  
PASLODE 2138-F18II  
PASLODE IM200-F18



PORTER CABLE BN125A  
PORTER CABLE BN200A  
PORTER CABLE BN200V12



SENCO FinishPro 18  
SENCO FinishPro 2N1  
SENCO FinishPro 25XP  
SENCO LS4  
SENCO LS5  
SENCO SLP20/LS1



SPOTNAILS CB1832  
SPOTNAILS DB1825  
SPOTNAILS CB1820

NAILS FOR BRAD NAILERS

## 18 GAUGE BRADS (Made of Galvanized Wire / No Plating After Manufacture)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/BOX	M/CTN	WT/CTN
23110	PX-12	1/2"x18 ga. Brad	5.0 M	100.0 M	31 Lbs.
23120	PX-58	5/8"x18 ga. Brad	5.0 M	100.0 M	35 Lbs.
23130	PX-34	3/4"x18 ga. Brad	5.0 M	100.0 M	36 Lbs.
23140	* PX-78	7/8"x18 ga. Brad	5.0 M	100.0 M	40 Lbs.
23150	PX-1	1"x18 ga. Brad	5.0 M	80.0 M	36 Lbs.
23160	PX-1316	1 3/16"x18 ga. Brad	5.0 M	80.0 M	39 Lbs.
23170	PX-114	1 1/4"x18 ga. Brad	5.0 M	80.0 M	38 Lbs.
23180	PX-112	1 1/2"x18 ga. Brad	5.0 M	60.0 M	40 Lbs.
23188	PX-158	1 5/8"x18 ga. Brad	5.0 M	60.0 M	49 Lbs.
23195	PX-2	2"x18 ga. Brad	5.0 M	40.0 M	40 Lbs.

BRADS



# 16 GAUGE BRADS

**APPLICATIONS:** Paneling and trim, frame assembly, door and window casings, cabinet building.  
Available in additional sizes.

Picture  
Not  
Available



DUO-FAST LFN-748A-1 1/2"  
DUO-FAST LFN-764A-2"



FASCO F26C FN-50, F3P FN-50  
FASCO R3C FN-50, R3T FN-70



HITACHI NT65A  
HITACHI NT65A2



MAX NF352-ST/16-50



PASLODE 3200-F16, 3250-F16  
PASLODE TRIMPULSE IM250-F16  
PASLODE MU-112, MU-212-F



PASLODE T250-F16



PORTER CABLE FN250  
PORTER CABLE FN250A, FN250B  
PORTER CABLE FN200



SENCO FINISHPRO 32



SPOTNAILS FB1632  
SPOTNAILS KB1564, XB1564

## BRADS



NAILS FOR BRAD NAILERS

## 16 GAUGE BRADS (Made of Galvanized Wire / No Plating After Manufacture)

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN	CT/BOX
21211	PB16-1	1"x16 ga. Brad	30.0 M	32 Lbs.	2.5 M
21231	PB16-114	1 1/4"x16 ga. Brad	30.0 M	36 Lbs.	2.5 M
21241	PB16-112	1 1/2"x16 ga. Brad	30.0 M	38 Lbs.	2.5 M
21251	PB16-134	1 3/4"x16 ga. Brad	20.0 M	31 Lbs.	2.5 M
21261	PB16-2	2"x16 ga. Brad	20.0 M	35 Lbs.	2.5 M
21271	PB16-214	2 1/4"x16 ga. Brad	20.0 M	39 Lbs.	2.5 M
21281	PB16-212	2 1/2"x16 ga. Brad	20.0 M	43 Lbs.	2.5 M

# 15 GAUGE BRADS

**APPLICATIONS:** Paneling and trim, frame assembly, door and window casings, cabinet building.  
Available in additional sizes.



DEWALT D51275



DUO-FAST DAFN-6480



FASCO F3C BA-50, F4 BA-65  
FASCO R3C BA-50, R4 BA-65  
FASCO F4BA-65CT



HITACHI NT65AA  
HITACHI NT65MA



MAKITA AF631  
MAKITA AF632



MAX NF550/15-65



PORTER CABLE DA250A, DA250B  
PORTER CABLE DAFN-6480  
PORTER CABLE CDA250



SPOTNAILS KBA1564



SENCO FinishPro 41XP  
SENCO SFN40



SENCO FinishPro 35  
SENCO SFN1, SFN1+  
SENCO SN1, SFN30



SENCO SFN2B



SENCO AIRFREE 41

## ANGLE 15 GAUGE FINISH BRADS

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN	CT/BOX
22110	FN-1	1"x15 ga. Finish Brad	10.0 M	14 Lbs.	5.0 M
22130	FN-114	1 1/4"x15 ga. Finish Brad	10.0 M	16 Lbs.	5.0 M
22140	FN-112	1 1/2"x15 ga. Finish Brad	10.0 M	18 Lbs.	5.0 M
22141	* FN-112G	1 1/2"x15 ga. Finish Brad Electro Galvanized	10.0 M	18 Lbs.	5.0 M
22150	FN-134	1 3/4"x15 ga. Finish Brad	10.0 M	22 Lbs.	5.0 M
22160	FN-2	2"x15 ga. Finish Brad	10.0 M	26 Lbs.	5.0 M
22161	* FN-2G	2"x15 ga. Finish Brad Electro Galvanized	10.0 M	26 Lbs.	5.0 M
22170	FN-214	2 1/4"x15 ga. Finish Brad	10.0 M	28 Lbs.	5.0 M
22180	FN-212	2 1/2"x15 ga. Finish Brad	10.0 M	36 Lbs.	5.0 M

## ANGLE BRADS



NAILS FOR BRAD NAILERS



BOSTITCH N60FN, N62FN



MAX NF510/15-50

## ANGLE 15 GAUGE FINISH BRADS

ORDER NO.	DESCRIPTION CODE	DESCRIPTION	M/CTN	WT/CTN	CT/BOX
22030	* BA-114	1 1/4"x15 ga. Finish Brad	14.0 M	22 Lbs.	3.5 M
22040	BA-112	1 1/2"x15 ga. Finish Brad	14.0 M	26 Lbs.	3.5 M
22050	* BA-134	1 3/4"x15 ga. Finish Brad	14.0 M	28 Lbs.	3.5 M
22060	BA-2	2"x15 ga. Finish Brad	14.0 M	36 Lbs.	3.5 M
22070	* BA-214	2 1/4"x15 ga. Finish Brad	14.0 M	40 Lbs.	3.5 M
22080	BA-212	2 1/2"x15 ga. Finish Brad	14.0 M	48 Lbs.	3.5 M

# Table of Contents

## Alphabetized listing

<b>1</b>		
	15 GAUGE BRADS	12
	15° COIL NAILS (Flat Coil, Wire Collated to fit Max & Bostitch Coil Nailers)	8
	15° FRAMING & DECKING NAILS (Flat Coil, Wire Collated)	6
	15° MINI NAILS (Cone Coil, Wire Collated)	8
	15° MINI NAILS (Flat Coil, Wire Collated)	8
	15° PALLET NAILS (Flat Coil, Wire Collated)	7
	15° PALLET NAILS (High Load, Flat Coil, Wire Collated)	7
	15° ROUND HEAD COIL NAILS (Plastic Collated Coil)	4
	16 GAUGE BRADS	11
	16 GAUGE BRADS (Made of Galvanized Wire / No Plating After Manufacture)	11
	18 GAUGE BRADS	10
	18 GAUGE BRADS (Made of Galvanized Wire / No Plating After Manufacture)	10
<b>2</b>		
	21° FULL ROUND HEAD STRIP NAILS (Plastic Collated)	3
	28° CLIPPED HEAD STRIP NAILS (Wire Collated)	1
<b>3</b>		
	31° CLIPPED HEAD STRIP NAILS (Paper Collated)	2
<b>A</b>		
	ANGLE 15 GAUGE FINISH BRADS	12
<b>C</b>		
	CLIPPED HEAD STRIP NAILS	1-2
<b>G</b>		
	GALVANIZED ROOFING NAILS	9
<b>J</b>		
	JOIST HANGER NAILS - Hanger / Plywood Nails (Plastic Collated Coil)	4
	JOIST HANGER NAILS - Hanger / Plywood Nails (Plastic Collated Strip)	1
<b>N</b>		
	NAILS FOR BRAD NAILERS	1-12
	NAILS FOR FRAMING & PALLET NAILERS	6-7
	NAILS FOR FRAMING NAILERS	1-3,7-9
	NAILS FOR SIDING NAILERS	4-5
<b>P</b>		
	PALLET & CRATING ROUND HEAD WIRE COLLATED NAILS	7
	PLASTIC SHEET COLLATED COIL NAILS (Duo-Fast)	5
	PLASTIC SHEET COLLATED NAILS	5
<b>R</b>		
	ROUND HEAD COLLATED NAILS	4
	ROUND HEAD PLASTIC SHEET COLLATED COIL NAILS	5
	ROUND HEAD STRIP NAILS	3
	ROUND HEAD WIRE COLLATED NAILS	6,7-8
<b>W</b>		
	WIRE COLLATED ROOFING NAILS	9

Sample