



GLASS BREAK DETECTION

Ademco

Glassbreak Detector

- Surface mount
- 26' range
- Smarter microprocessor for better performance
- Faster processing eliminates false alarms reverberant sounds

ASC25 \$31.95/3



Glassbreak Detector

- Flush mount
- 25' range
- Smarter microprocessor for better performance
- Faster processing eliminates false alarms reverberant sounds

ASC25F \$31.95/3



Glassbreak Detector

- Round case design
- 25' range
- Smarter microprocessor for better performance
- Faster processing eliminates false alarms from reverberant sounds

ASC25R \$31.95/3



Glassbreak Simulator

- Simulator and tester for ASC25 series glassbreak detectors

ASC-GBS \$44.50/3



Glassbreak

- 26' range
- No adjustments
- Protects all types of glass
- Mounts on any wall or ceiling
- Multi-frequency analysis.
- Also Available: 2520FM, Flush mount

2520 \$33.50/3



IEI Signature Series

Audio Detectors

- Surface mount
- 4 Frequencies
- Digital Signal Processing (DPS) continuously analyzes sound

IE-555LS/BR \$44.25/3



Audio Detectors

- Flush mount
- 4 Frequencies
- Digital Signal Processing (DPS) continuously analyzes sound.

IE-557LS \$44.25/3



Audio Glassbreak Detector

- 550LS - 25'
- 530LS - 15'
- Form A relay
- All glass types No adjustments
- Lifetime guarantee

IE-550LS \$38.25/3

IE-530LS \$28.25/3



IEI Tri-Guard Series

Audio Glass Break Detector

- Analyzes all sounds dimensions
- Form C relay
- 3 LED readout
- Lifetime guarantee
- Omni-directional radius.

IE--510WH/BR \$37.95/3



Caddx

Glass Break Detector

- 3 x 3 technology
- Power/status LED
- 25' radius coverage
- Acoustic grille design
- Microprocessor based

Also Available: CA-GT2

CA-2000 \$31.50/3



Glass Break Detector

- Single gang flush mount
- 3 x 3 technology,
- 20' radius coverage
- Automatically adjusts
- Microprocessor based


CA-2100 \$31.50/3



Audio Discriminator

- Passive Sonic forced intrusion detector
- Compatible with N.C. or N.O. loop
- Supervised power input, 1 amp relay contacts

CA-5000 \$30.95/3



GlassBreak Detector

- 3 x 3 technology
- Microprocessor based
- Alarm memory LED
- Power/status LED
- 25' radius coverage
- Automatically adjusts

CA-2200 \$26.50/3



C&K/Intellisense Series

GlassBreak Detector

- 25' glassbreak, rectangular
- No sensitivity adjustment
- True digital signal processing

Flush mt. vers. Avail
IN-FG1025F/ED

IN-FG1025 \$28.95/3

IN-FG1025R \$30.50/3



GlassBreak Detector

- Directional 25' glassbreak detector
- LED indicator
- "Time of arrival processing"
- Dual technology

IN-FG1025Z \$38.50/3



GlassBreak Detector

- 30' glassbreak detector
- Dual flex/audio technology
- Adjustable
- Alarm memory

IN-FG730 \$28.95/3



GlassBreak Detector & Mag Contact

- Glassbreak & mag contact in one detector
- Digital signal processing
- Built-in reed switch with magnet
- Easy remote testing

IN-FG1008 \$24.95/3



Detection Systems

GlassBreak Detector

- DS-DS1103 - Round
- DS-DS1102 - Square
- DS-DS1103 - Flush
- 25' coverage
- Patented Sat Signal Processing
- Sound check (hand clap) feature
- Auto Env. Test circuitry

DS-DS1101 \$34.25/3

DS-DS1103 \$34.25/3



Table of Contents

Categorized listing

GLASS BREAK DETECTION	1
Ademco	1
IEI Signature Series	1
IEI Tri-Guard Series	1
Caddx	1
C&K/Intellisense Series	1
Detection Systems	1
Glassbreak Detector	1
Glassbreak Simulator	1
Glassbreak	1
Audio Detectors	1
Audio Glassbreak Detector	1
Audio Glass Break Detector	1
Glass Break Detector	1
Audio Discriminator	1
GlassBreak Detector	1
GlassBreak Detector & Mag Contact	1
GlassBreak Detector	1

Sample

Table of Contents

Alphabetized listing

A	
Ademco	1
Audio Detectors	1
Audio Discriminator	1
Audio Glass Break Detector	1
Audio Glassbreak Detector	1
C	
C&K/Intellisense Series	1
Caddx	1
D	
Detection Systems	1
G	
GLASS BREAK DETECTION	1
Glass Break Detector	1
Glassbreak	1
Glassbreak Detector	1
GlassBreak Detector & Mag Contact	1
Glassbreak Simulator	1
I	
IEI Signature Series	1
IEI Tri-Guard Series	1

Sample